WATER EDUCATION FOR HEALTH



1991 MASS EDUCATION CAMPAIGN



This training manual was produced in Ghana by

The Water Utilization Project ©

December 1990

Original Artwork: Sam Aperigiya Aninga

CONTENTS

Radio Learning Group, 1

How to prevent Diarrhoea, 9

How to manage Diarrhoea, 25

Causes and prevention of Guinea Worm, 39

ABBREVATIONS

GWSC: Ghana Water and Sewerage Corporation

WUP: Water Utilization Project


WHIP: Water Health Integrated Program

WEFH: Water Education For Health

RLG: Radio Learning Group

CWO: Community Water Organizer

GHANA WATER &SEWERAGE CORPORATION WATER UTILIZATION PROJECT WATER HEALTH INTEGRATED PROGRAMME





LIBRARY, INTERNA DALLE REFERENCE CENTRE FOR Openmentary WAVER SUPPLY AND DANFTARE AT (RICE) P.O. Box (13190, 1509 AD The Hagus

Tel. (070) 814911 ext. 141/142

108 36 LO: 203, 2 90 WA



CWO leading RLG members to meeting



Radio Learning Group meeting



RLG discussion group




PROJECTS

Pumpsite Development



Constructing a garden



Clean Pumpsite with garden and bathhouse

POINTS TO REMEMBER

- 1. The Radio is on LOAN to CWOs
- RLG members are the SAME 20 people, men and women from several compound of a pump community
- 3. The CWO is the RLG Leader
- 4. The purpose of RLGs is to LISTEN, DISCUSS and CARRY OUT a Communty Project
- 5, All members of the Community can help
- 6. Examples of Community Projects
 - Pumpsite Development
 - Community Garden
 - Bath houses
 - Latrines



How to prevent Diarrhoea



A dirty compound



leads to Diarrhoea



Easing near compound brings flies



Ease far away from compound



Remove children faeces



far from the compound



Construction of



Latrines



The Kraal brings Flies

Always clean them



Wash your hand before eating and after toilet



Teach children to was hands



A clean compound



means less diarrhoea

POINTS TO REMEMBER

HOW TO PREVENT DIARRHOEA

- 1. Removal or Burial of all Faeces (Animal and Human)
- 2. Wash Hands after Toilet
- 3. Wash Hands before Eating




How to Manage Diarrhoea



Breast feed



Drink liquids



Eat Good Food




Continue Feeding



Use ORS





can tell you about ORS





Preparing






ORS



Marking Calabashes to show Correct Measurement for ORS



CWO demonstrates How to prepare ORS



Always use Pump water



Always use ORS

POINTS TO REMEMBER

HOW TO MANAGE DIARRHOEA

- 1. Breast Feed
- 2. Drink Liquids
- 3. Give them Good Food to eat
- 4. Use ORS
- 5. Your CWO can tell your:
 - Where to Buy ORS
 - How to Prepare ORS
- Give the Diarrhoea Patient as much ORS as he/she will take- Be Persistant
- 7. Give More than One Sachet if patient will take it



Guinea Worm




G.W. Patients contaminates water



Drinking contaminated water



One year later



Worm appears



Use ONLY Pump water



Sieve pond water when Pump water is not available



Help them



fetch their water

POINTS TO REMEMBER


- 1- Guinea Worm is a White Thread-like worm
- 2- Guinea Worm can be seen coming out of the skin after a Blister is broken
- 3- You can get Guinea Worm ONLY from Drinking
 Contaminated Water
- 4- Water is Contaminated when Infected Persons
 Wades in water

PREVENTION

- 1- Drink ONLY Pump Water
- 2- When Pump water is not available, SIEVE Pond water
- 3- DON'T allow Infected persons to Wade in water

WARNING

SIEVED POND WATER DOES NOT PROTECT
YOU AGAINST DIARRHOFA



Say YES To ORS

Printed By COMPUPRINT - ACCRA